

OUTSIDE DIAMETER	NOMINAL BORE (IF APPLICABLE)	WALL THICKNESS	LENGTH	QUANTITY IN STOCK	KG/M	NOTES
609.6 MM	600	6.35 MM	12000 MM	2	94.35	
609.6 MM	600	6.35 MM	4700 MM	2	94.35	
457.2 MM	450	45.24 MM	6400 MM	2	459.37	
457.2 MM	450	45.24 MM	5870 MM	1	459.37	
457.2 MM	450	29.36 MM	11150 MM	1		YELLOW JACKET / STAINLESS STEEL LINNING
457.2 MM	450	29.36 MM	9630 MM	1		YELLOW JACKET / STAINLESS STEEL LINNING
457.2 MM	450	19.05 MM	12120 MM	1		YELLOW JACKET / STAINLESS STEEL LINNING
457.2 MM	450	23.88 MM	4600 MM	1	254.55	
457.2 MM	450	12.5 MM	12500 MM	1	137	
457.2 MM	450	12.5 MM	6000 MM	1	137	
450 NB	450		5800 MM	1		CHEMICAL/CORROSION RESISTANT RUBBER LINNING FLANGED 20 BOLT 700MM DIA.
420 MM		40 MM	8000 MM	1		NON STANDARD STOCK
406.4 MM	400	40.49 MM	7450 MM	1	365.35	
406.4 MM	400	40.49 MM	7000 MM	1	365.35	
406.4 MM	400	12.7 MM	12000 MM	1	123.3	
406.4 MM	400	12.7 MM	11000 MM	1	123.3	
406.4 MM	400	12.7 MM	10000 MM	1	123.3	
406.4 MM	400	12.7 MM	9000 MM	3	123.3	FITTED WITH WELDED TABS / MOUNTING PLATES
406.4 MM	400	9.53 MM	12000 MM	1	93.27	
406.4 MM	400	6.4 MM	5300 MM	1	63.1	
355.6 MM	350	35.71 MM	7970 MM	1	281.7	
355.6 MM	350	35.71 MM	7800 MM	1	281.7	
355.6 MM	350	19.05 MM	11500 MM	1	158.1	
355.6 MM	350	12.7 MM	3900 MM	1	107.39	
355.6 MM	350	11.13 MM	4300 MM	1	94.55	
355.6 MM	350	9.53 MM	12000 MM	1	81.33	
355.6 MM	350	9.53 MM	10000 MM	1	81.33	
355.6 MM	350	9.53 MM	6000 MM	2	81.33	
355.6 MM	350	9.53 MM	3400 MM	1	81.33	

355.6 MM	350	6.4 MM	7200 MM	1	55.1	
355.6 MM	350	6.4 MM	4720 MM	1	55.1	
350 NB	350		4900 MM	1		CHEMICAL/CORROSION RESISTANT RUBBER LINNING FLANGED 12 BOLT 485MM DIA.
339.72 MM (13.3/8 INCH)			5500 MM	1		NON STANDARD STOCK , STP AMS X T/XC
343 MM		12 MM	5500 MM	1		NON STANDARD STOCK
343 MM		12 MM	4600 MM	1		NON STANDARD STOCK
340 MM		13.4 MM	6000 MM	1		NON STANDARD STOCK
323.9 MM	300	33.32 MM	12000 MM	1	238.76	
323.9 MM	300	33.32 MM	8000 MM	2	238.76	
323.9 MM	300	33.32 MM	7600 MM	1	238.76	
323.9 MM	300	33.32 MM	7580 MM	1	238.76	
323.9 MM	300	33.32 MM	7280 MM	1	238.76	
323.9 MM	300	12.7 MM	12000 MM	5	97.5	
323.9 MM	300	12.7 MM	11500 MM	1	97.5	
323.9 MM	300	12.7 MM	3600 MM	1	97.5	
323.9 MM	300	12.5 MM	12000 MM	4	96	
323.9 MM	300	10.31 MM	12000 MM	1	79.73	
323.9 MM	300	10.31 MM	6900 MM	1	79.73	
323.9 MM	300	9.53 MM	12000 MM	30	73.88	
323.9 MM	300	9.53 MM	8000 MM	1	73.88	
323.9 MM	300	9.53 MM	6000 MM	4	73.88	
323.9 MM	300	9.53 MM	4700 MM	1	73.88	
323.9 MM	300	9.5 MM	6870 MM	1	73.7	
323.9 MM	300	8.38 MM	12000 MM	28	65.2	GALVANISED PIPE
323.9 MM	300	7.58 MM	6000 MM	4		GALVANISED PIPE, NON STANDARD STOCK
323.9 MM	300	7.58 MM	4900 MM	1		GALVANISED PIPE, NON STANDARD STOCK
323.9 MM	300	7.58 MM	4500 MM	1		GALVANISED PIPE, NON STANDARD STOCK
323.9 MM	300	6.35 MM	12000 MM	3	49.73	
323.9 MM	300	6.35 MM	3900 MM	1	49.73	
300 MM		12.7 MM	12000 MM	1		NON STANDARD PIPE
273.1 MM	250	15.09 MM	12000 MM	3	96.01	
273.1 MM	250	15.09 MM	6600 MM	1	96.01	
273.1MM	250	12.7MM	6025 MM	1	81.55	
273.1MM	250	12.7MM	6000 MM	7	81.55	

273.1 MM	250	4.78 MM	12000 MM	1	31.76	
250 NB	250		4300 MM	2		CHEMICAL/CORROSION RESISTANT RUBBER LINNING FLANGED 12 BOLT 405MM DIA.
240 MM		9 MM	4100 MM	1		NON STANDARD STOCK
220 MM		30 MM	5030 MM	1		NON STANDARD STOCK
210 NB	210 NB		2525 MM	1		GALVANISED PIPE FITTED WITH FLANGES ON BOTH ENDS, 8 BOLT, 336 MM DIA.
219.1 MM	200	23.01 MM	6350MM	1	111.27	
219.1 MM	200	12.7 MM	5900 MM	1	64.64	
219.1 MM	200	12.7 MM	4030 MM	1	64.64	
219.1 MM	200	10.31 MM	8000 MM	1	53.08	FIRE SYSTEM PIPE, PAINTED RED, FLANGES BOTH ENDS
219.1 MM	200	8.2 MM	12000 MM	1	42.6	
219.1 MM	200	8.2 MM	6010 MM	1	42.6	
219.1 MM	200	8.2 MM	6000 MM	2	42.6	
219.1 MM	200	8.2 MM	6000 MM	1	42.6	GALVANISED PIPE
219.1 MM	200	8.2 MM	5000 MM	1	42.6	
219.1 MM	200	8.18 MM	6000 MM	4	42.55	STAINLESS STEEL PIPE
219.1 MM	200	6.4 MM	12000 MM	1	33.6	
219.1 MM	200	6.4 MM	10000 MM	1	33.6	
219.1 MM	200	6.4 MM	9500 MM	1	33.6	
219.1 MM	200	6.4 MM	6000 MM	6	33.6	
219.1 MM	200	6.4 MM	5900 MM	1	33.6	
219.1 MM	200	6.4 MM	4300 MM	1	33.6	
219.1 MM	200	6.4 MM	3800 MM	1	33.6	
219.1 MM	200	6.4 MM	3300 MM	1	33.6	
219.1 MM	200	4.8 MM	12000 MM	1	25.4	
200 NB	200		9500 MM	2		GALVANISED PIPE FITTED WITH FLANGES ON BOTH ENDS, 8 BOLT, 345 MM DIA.
200 NB	200		6000 MM	1		GALVANISED PIPE FITTED WITH FLANGES ON BOTH ENDS, 8 BOLT, 345 MM DIA.
200 NB	200		5700 MM	2		GALVANISED PIPE FITTED WITH FLANGES ON BOTH ENDS, 8 BOLT, 345 MM DIA.
200 NB	200		5500 MM	1		GALVANISED PIPE FITTED WITH FLANGES ON BOTH ENDS, 8 BOLT, 345 MM DIA.
200 NB	200		5200 MM	1		GALVANISED PIPE FITTED WITH FLANGES ON BOTH ENDS, 8 BOLT, 345 MM DIA.

200 NB	200		5000 MM	2		GALVANISED PIPE FITTED WITH FLANGES ON BOTH ENDS, 8 BOLT, 345 MM DIA.
200 NB	200		4100 MM	1		GALVANISED PIPE FITTED WITH FLANGES ON BOTH ENDS, 8 BOLT, 345 MM DIA.
180 MM		9.5 MM	6040 MM	1		NON STANDARD STOCK
177.8 MM (7 INCH)		9.5 MM	6000 MM	2		DRILL PIPE, THREADED ENDS WITH SOCKETS, DRILLTEC, 26PPF FOX 13 CR
177.8 MM (7 INCH)		9.5 MM	5800 MM	7		DRILL PIPE, THREADED ENDS WITH SOCKETS, DRILLTEC, 26PPF FOX 13 CR
176 MM		11 MM	12000 MM	1		NON STANDARD STOCK
176 MM		7.2 MM	6000 MM	2		NON STANDARD STOCK
176 MM		7.2 MM	4500 MM	1		NON STANDARD STOCK
176 MM		7.2 MM	4470 MM	1		NON STANDARD STOCK
176 MM		7.2 MM	3000 MM	1		NON STANDARD STOCK
168.3 MM	150	18.26 MM	11000 MM	1	67.56	
168.3 MM	150	10.97 MM	12000 MM	2	42.56	
168.3 MM	150	10.97 MM	10900 MM	1	42.56	
168.3 MM	150	7.11 MM	12000 MM	9	28.26	
168.3 MM	150	7.11 MM	11000 MM	1	28.26	
168.3 MM	150	7.11 MM	6000 MM	7	28.26	
168.3 MM	150	7.11 MM	4400 MM	1	28.26	
168.3 MM	150	7.11 MM	3980 MM	1	28.26	
168.3 MM	150	7.11 MM	8000 MM	2	28.26	FIRE SYSTEM PIPE, PAINTED RED, FLANGES BOTH ENDS
168.3 MM	150	7.11 MM	5000 MM	2	28.26	FIRE SYSTEM PIPE, PAINTED RED, FLANGES BOTH ENDS
168.3 MM	150	7.11 MM	6000 MM	7	28.26	GALVANISED PIPE
168.3 MM	150	6.4 MM	12000 MM	3	25.6	GALVANISED PIPE
168.3 MM	150	6.4 MM	12000 MM	1	25.6	
168.3 MM	150	6.4 MM	6000 MM	1	25.6	
168.3 MM	150	6.4 MM	5920 MM	1	25.6	
168.3 MM	150	6.4 MM	4500 MM	1	25.6	
168.3 MM	150	6.4 MM	3360 MM	1	25.6	
168.3 MM	150	2.6 MM	6500 MM	65		GALVANISED PIPE
150 NB	150		12000 MM	3		FIRE SYSTEM PIPE, PAINTED RED, FLANGES BOTH ENDS

150 NB	150		6000 MM	33		CHEMICAL/CORROSION RESISTANT RUBBER LINNING FLANGED 8 BOLT 280MM DIA.
150 NB	150		4550 MM	4		CHEMICAL/CORROSION RESISTANT RUBBER LINNING FLANGED 8 BOLT 280MM DIA.
141.3 MM	125	6.55 MM	12000 MM	10	21.77	
141.3 MM	125	6.55 MM	11500 MM	1	21.77	
125 MM		12 MM	12000 MM	4		NON STANDARD STOCK
114.3 MM	100	8.56 MM	12000 MM	1	22.32	
114.3 MM	100	6.02 MM	12000 MM	44	16.07	
114.3 MM	100	6.02 MM	6000 MM	15	16.07	GALVANISED PIPE
114.3 MM	100	4.78 MM	6500 MM	8	12.96	GALVANISED PIPE
100 NB	100		12000 MM	5		FIRE SYSTEM PIPE, PAINTED RED, FLANGES BOTH ENDS
88.9 MM	80	11.13 MM	6100 MM	1	21.35	
88.9 MM	80	7.62 MM	12000 MM	20	15.27	
88.9 MM	80	7.62 MM	6000 MM	17	15.27	
73 MM	65	7.01 MM	6000 MM	6	11.41	
60.3 MM	50	8.74 MM	12000 MM	5	11.11	
50 NB	50		12000 MM	4		FIRE SYSTEM PIPE, PAINTED RED, FLANGES BOTH ENDS
48.3 MM	40	5.08 MM	6000 MM	10	5.41	
42.2MM	32	3.56 MM	6000 MM	12	3.39	FIRE SYSTEM PIPE, PAINTED RED, FLANGES BOTH ENDS